

Techivation T-De-Esser Plus

User Manual

T-De-Esser Plus

copy to B

Output: 0, -5, -10

Level: 0, -10, -20, -30, -40, -50, -60

PROCESSING

Frequency Range

Low-hi | Mid-hi | **High** | Hi-end

Intensity: 5.0 | Sharpness: -10.0 | Attack: 2.0 ms | Release: 5.0 ms

Lookahead: Off

Free version | Pro Features Coming Soon

mix: 100% | quality: 1X | audition: dif | filter | frequency range: 1kHz | 20kHz

link: 100% | mode: left | right | 3kHz | hi-cut: 20kHz | saturation

Techivation | Natural Sounding De-Esser

Techivation T-De-Esser Plus

Features

- Processing Knob
- Intensity
- Sharpness
- Scaleable Graphic User Interface (GUI)
- Undo/Redo Options
- A/B Switch
- Output Level
- Level Meter
- Frequency Range Modes
- On/Off Button
- Menu
- Audition (Filter & Diff)

Techivation T-De-Esser Plus

Overview

Interface

The T-De-Esser Plus has the same functionality as the original T-De-Esser, but the interface displays the extra Pro features of the T-De-Esser Pro. T-De-Esser Plus has one of the Pro features enabled, the 'Audition' (Delta-listening) feature, which is free to use. It also allows you to try the T-De-Esser Pro for free or purchase an upgrade.



Techivation T-De-Esser Plus

Processing Knob

The Processing setting determines how much level can pass through the De-Esser before compression is triggered. Lower the processing until gain reduction starts to occur. Now listen as you adjust the processing. Find the point at which sibilance is controlled without extreme audible compression.

Quick tips:


- Double clicking on Processing knob will set back its value to default.
- Double clicking on Processing knob's value number, will allow you to type in your preferred value.



Techivation T-De-Esser Plus

Intensity

The T-De-Esser Plus “Intensity” determines how much gain reduction the **De-Esser** applies when the signal passes a threshold level. For example, an **intensity** of 4:1 means that for every 4 dB the signal rises above the threshold, the **De-Esser** will allow an output of 1 dB.




Techivation T-De-Esser Plus

Sharpness

The “Sharpness” refers to how the **De-Esser** transitions between the non **compressed** and **compressed** states of an audio signal running through it. A “lower sharpness” allows for a smoother and more gradual **compression** than a “higher sharpness.”

Quick tips:



- Double clicking on Sharpness knob will set back its value to default.
- Double clicking on Sharpness knob’s value number, will allow you to type in your preferred value.



Techivation T-De-Esser Plus

Undo/Redo Options

Undo and Redo options are built inside the plugin so you no longer need to worry about losing setting values.



Techivation T-De-Esser Plus

A/B Switch

Quickly and simply compare different settings to find out which would fit well. The “Copy to B” allows you copy the settings you’ve made in the A version, to see how small tweaks would sound compared to the original A version.

Output Level

Reduce or increase the output volume level in dB.

Level Meter


Shows the master output signal level and current gain reduction in dB.



Techivation T-De-Esser Plus

Frequency Range Modes

Hi-end	5.0 kHz -- 20.0 kHz
High	5.0 kHz -- 10.0 kHz
Mid-hi	2.0 kHz -- 4.0 kHz
Low-hi	1.0 kHz -- 4.0 kHz

Techivation T-De-Esser Plus


On/Off Button

Bypass button, enables or disables the plugin's effect on the output sound. Smooth, click-free transitioning makes this parameter ideal for automation.

Menu

A quick menu of useful features:

- Undo
- Redo
- Presets
- Save Preset As...
- Load Preset...
- Default Preset
- GUI Scale
- About T-De-Esser
- Support



Techivation T-De-Esser Plus

Undo/Redo

Check out page #8

Presets

Allows you to load presets from the T-De-Esser built-in preset menu.

Save Preset As...

Allows you to save your own custom presets in your computer's presets folder.

Load Preset

Allows you to load presets from your computer's presets folder.




Techivation T-De-Esser Plus

GUI Scale

Check out page #4

About T-De-Esser Plus

Brief information about your current plug-in version, new plug-in updates and quick access to the support page. As well as a notification area which allows you get notified when new Updates for the plug-in are available. You can disable/enable this feature.



Techivation T-De-Esser Plus

Compatibility

Plugin formats: VST, VST3, AU, AAX.

Platforms supported: Mac OS 10.7 and up including Catalina and Big Sur. M1.

PC Windows 7 and up.

DAWs supported: Ableton Live, Logic Pro, Avid Protools, FL Studio, Cubase, Nuendo, Reaper, Reason and other major DAW softwares on the market.

Activation

T-De-Esser Plus is a **free plug-in**, meaning there is **no charge** involved for using the plug-in as per our [terms and conditions](#). So, as soon as you download and install the plug-in, you're ready to go. However, the optional upgrade to the upcoming T-De-Esser Pro which comes with a number of extra features, will require a purchased license to activate. (Priced at \$199.00)

Support

For any support inquiries check out techivation.com/support

Check out techivation.com/terms-conditions to learn more about the rights.

If you have any questions, feel free to reach out to us via email. info@techivation.com

Installation

A software download is supplied with your purchase, however you can always go to Techivation.com for the latest software updates.

After downloading, unzip the file and select either Mac or PC installer depending on your system. (Warning: don't run the PC file on a Mac and vice-versa).

- Mac: Double click on the PKG installer and follow the instructions
- PC/Windows: Double click on the setup file and follow the instructions

Techivation T-De-Esser Plus

Uninstall Locations

MAC OS

AU: /Library/Audio/Plug-ins/Components/

VST: /Library/Audio/Plug-ins/VST/

VST3: /Library/Audio/Plug-ins/VST3/

AAX: /Library/Application Support/Avid/Audio/Plug-Ins/

WINDOWS

VST: Custom path from installer

VST3: \Program Files\Common Files\VST3\

or \Program files(x86)\Common Files\VST3

AAX: \Program Files\Common Files\Avid\Audio\Plug-Ins\